


INDIANA. N & W 2 P. M.

N & W 2 P. M.



Township N^o XIV North, Range N^o IX West of 2nd Meridian. Surveyed by William Harris 1816

IND

Selected for the Wabash Erie Canal & confirmed
by Act of Congress approved 27th July 1841

As per
Total 22,261.48

Description of the Soil on the interior Sectional Lines.

Section	Quality &c	Section	Quality &c	Section	Quality &c
33.36 Bottoms - good for farming		2.23 Bottom which overflows		2.29 Land 1 st rate - Walnut, Hickory, Sugar	
25.26 Land level good for farming land - Oak & little birch		33.34 Land level - Oak, Sugar, Hickory, Ash, Elm, good soil		4.5 Level good for farming land - Sugar &c	
25.26 Land 1 st rate - Sugar, Walnut &c		1.31 East & over it, bottom West level land, thin but muddling soil		31.32 Land broken good soil - Oak, Birch, Sugar	
13.25 Land 1 st rate - Sugar, Walnut &c		1.28 West of this line 1 st rate bottom for about 10 chains on each side		29.32 Land hilly 2 nd rate 2 nd rate - Sugar, Oak	
13.24 Land level - good for farming - Sugar, Oak &c		22.27		29.30 2 nd rate land - Oak & Hickory, timber	
13.24 Land a little hilly, 1 st rate for farming - Sugar, Walnut, Maple &c		21.27 Land level - Oak, Sugar, Hickory, good farming land		20.29 Land broken - Oak & Hickory	
13.14 Land hilly 2 nd rate - Oak, Oak, Sugar &c		13.22 Land level - Oak, Sugar, Hickory, good farming land, 2 nd rate		16.20 Oak & Hickory, good for wheat	
11.13 West & very hilly - East level good for farming		10.15 Land level rich & good for farming - Oak, Sugar, Walnut, ash, land		17.20 Land level good for farming - Oak, Hickory, Ash, Walnut	
11.12 Land level 2 nd rate		10.15 Land level - hilly - Sugar - West & good farming land		17.18 Same	
1.12 East 1 st rate farming land - Walnut, Hickory &c		1.10 Land level 1 st rate - Walnut, Oak, Sugar, Hickory, Hickory		8.17 Same	
1.12 Prairie		3.10 West & same - East & over it, bottom		7.18 Same	
34.35 Rich bottom which overflows - Oak, Walnut, Sugar &c		3.4 Land level 1 st rate - Walnut, Oak, Sugar, Hickory, Hickory		5.8 Land similar	
16.35 Land level good for farming - Oak		32.33 Land broken 2 nd rate - Sugar &c		5.6 Land broken 2 nd rate - Sugar &c	
16.27		75.33 Land hilly 2 nd rate		6.7 Land level good for farming - Hickory, Oak, Walnut	
13.26 Bottom which overflows		28.26 Land same - Oak, Birch, Sugar		7.18	
11.23 Same		21.18 Land a little hilly 2 nd rate - Oak, Hickory		13.19 Oak level 2 nd rate	
11.23 West & same - East good for farming - land - Oak, Sugar &c		20.21 Land level - good for farming - Sugar, Oak &c		19.30 West prairie 2 nd rate	
10.13 Bottom which overflows		16.21 Land a little hilly - same - Sugar & same - Hickory		31.31 Land muddling level - rich & good for farming	
10.14 Same		16.17 Good farming land			
10.11		7.16 Land level - Oak, Sugar, Walnut &c			
7.11 Land level, Oak, Hickory & a muddling quality		7.9 Land a little rolling, good farming - Sugar			

Township N. 14 North, Range N. 9 West of 2nd Meridian

Posts	Bearing trees	Angles	Courses	Angles	Quality of the Soil
A Elm	12	S 29 N 7			
do	12	N 43 E 25			
B M. Oak	14	S 39 E 23			
Sugar	8	S 68 N 53			
C Sugar	10	S 31 E 24			
M. Oak	20	N 74 N 25			
D Sugar	15	S 14 E 85			
do	14	S 58 N 100			
E Elm	30	S 41 E 21			
Maple	24	N 9 N 49			
F Post in Prairie					
G M. Oak	12	corner			
St. Elm	6	N 53 N 19			
Beech	12	S 73 E 32			
Spruce	8	S 30 E 17			
Maple	12	N 21 N 43			
Maple	24	N 59 E 11			
M. Oak	27	S 17 N 35			
I Sugar	10	S 53 N 29			
do	12	S 39 E 15			
Sugar	12	N 77 E 19			
Beech	14	N 36 N 31			
H Sugar	9	N 70 E 28			
do	14	N 75 N 5			
M. Oak	36	S 85 N 15			
Elm	12	N 26 N 14			
J Hickory	10	N 37 E 12			
do		N 56 N 22			
K Hickory	10	N 71 N 39			
Beech	18	N 76 E 32			
M M. Oak	14	N 33 E 12			
do	18	N 102			
N Sugar	12	S 54 N 18			
do	10	N 50 N 28			
X Sugar	12	N 32 E 27			
do	12	S 52 N 24			
Y Sugar	12	S 3 E 3			
do	15	N 10 N 32			
O Hickory	12	N 9 N 52			
M. Oak	18	S 37 E 150			
M. Oak	14	N 58 E 40			
do	12	S 51 E 24			
P Maple	8	N 24 N 16			
M. Oak	18	S 35 E 41			
Elm	11	S 35 E 20			
do	18	N 9 E 11			
Q Hickory	20	N 57 E 45			
do	20	S 38 N 36			
Elm	12	S 77 N 9			
Hickory	12	S 20 N 51			
R Sugar	12	S 46 E 10			
M. Oak	12	N 22 N 27			
Sugar	12	N 43 N 19			
M. Oak	30	S 33 N 51			
Sugar	14	N 30 E 15			
do	18	S 58 N 22			
M. Oak	12	S 57 N 23			
do	12	N 23 E 26			
T Beech	20	N 26 E 2			
M. Oak	40	S 23 N 87			
U M. Oak	6	N 75 E 11			
do	12	S 35 N 15			
V Prairie	no	bearing trees			
W Hickory	12	N 58 N 3			
do	14	N 46 E 50			
X M. Oak	20	N 41 N 19			
M. Oak	36	S 46 E 28			
Y M. Oak	30	N 45 E 25			
Spruce	8	S 4 N 25			

Anterior Section corners described

Corners of Section	Bearing trees	Angles	Courses	Angles	Quality of the Soil
25.26.28.30	Hickory	6	N 53 E 68		
	M. Oak	30	S 71 N 33		
23.24.25.26	Sugar	12	S 21 N 43		
	M. Oak	30	N 24 E 35		
13.14.23.24	Beech	12	S 70 E 24		
	Sugar	8	S 68 N 2		
11.12.13.14	M. Oak	26	S 9 E 5		
	Sugar	12	N 32 E 30		
1.2.11.12	Prairie	no	bearing trees		
25.27.34.35	Hickory	12	S 34 E 11		
	do	12	N 16 N 24		
22.23.26.27	Buckeye	6	N 68 E 25		
	do	12	S 22 E 34		
14.15.22.23	M. Oak	12	S 16 E 11		
	Buckeye	8	N 6 N 30		
10.11.14.15	Law the river				
2.3.10.11	Sugar	12	S 56 E 29		
	M. Oak	8	N 15 N 34		
27.28.33.34	Sugar	20	corner		
21.22.27.28	M. Oak	15	N 34 E 15		
	Buckeye	9	N 68 N 22		
15.16.21.22	M. Oak	18	N 46 N 50		
9.10.15.16	Hickory	12	N 43 E 79		
	Hickory	9	N 79 N 77		
28.29.32.33	Beech	10	S 9 E 23		
	M. Oak	10	N 22 E 15		
20.21.28.29	M. Oak	14	N 21 E 44		
	do	12	S 80 N 28		
16.17.20.21	M. Oak	12	N 24 N 21		
	do	24	S 27 E 62		
8.9.16.17	M. Oak	12	N 74 N 29		
	Beech	20	S 15 E 21		
4.5.8.9	M. Oak	12	S 72 N 25		
	do	30	S 64 E 34		
29.30.31.32	Sugar	8	S 67 E 14		
	Beech	14	N 75 N 35		
19.20.29.30	M. Oak	11	N 6 E 5		
	M. Oak	30	S 36 E 67		
17.18.19.20	Hickory	9	S 12 E 7		
	M. Oak	9	N 3 N 42		
7.8.17.18	Spruce	14	S 69 E 47		
	Sugar	14	N 55 N 57		
5.6.7.8	M. Oak		S 5 E 14		
	Sugar	9	N 75 N 37		

Anterior Quarter Section corners described

Corners of Quarter Section	Bearing trees	Angles	Courses	Angles	Quality of the Soil
1.2.3.4	M. Oak	14	N 25 E 9		
	Buckeye	10	S 61 N 25		
2.3.4.5	Hickory	15	N 64 E 18		
	Hickory	10	S 5 N 33		
3.4.5.6	M. Oak	20	N 66 E 21		
	M. Oak	24	S 76 N 31		
4.5.6.7	Prairie	36	S 22 N 9		
	Elm	8	N 76 E 31		
5.6.7.8	M. Oak	10	S 48 E 11		
	Buckeye	8	N 55 N 12		
6.7.8.9	Hickory	10	S 2 E 30		
	do	13	South 55		
1.2.3.4	Sugar	12	N 34 E 38		
	do	18	N 86 N 15		
2.3.4.5	Elm	12	S 46 E 10		
	do	14	S 84 N 19		
3.4.5.6	M. Oak	14	N 80 E 5		
	do	14	N 81 N 42		
4.5.6.7	Hickory	12	N 24 E 8		
	Spruce	6	S 84 N 7		
5.6.7.8	M. Oak	36	S 12 E 12		
	do	14	N 28 N 15		
6.7.8.9	Prairie	no	bearing trees		
1.2.3.4	M. Oak	8	S 33 N 24		
	Hickory	5	N 18 E 20		
2.3.4.5	Hickory	6	N 70 E 5		
	do	12	S 75 N 32		
3.4.5.6	M. Oak	12	S 73 E 26		
	do	24	S 40 N 106		
4.5.6.7	Hickory	6	S 6 E 9		
	Sugar	8	N 4 N 50		
5.6.7.8	Hickory	12	N 37 N 13		
	M. Oak	10	N 31 N 16		
6.7.8.9	M. Oak	12	S 32 E 23		
	Hickory	12	N 9 N 32		

Anterior Quarter Section corners continued

Corners of Quarter Section	Bearing trees	Angles	Courses	Angles	Quality of the Soil
1.2.3.4	Beech	14	N 29 N 22		
	Poplar	30	S 20 E 14		
2.3.4.5	Maple	14	N 10 N 16		
	do	10	S 56 E 28		
3.4.5.6	M. Oak	18	N 36 E 71		
	M. Oak	36	S 14 N 13		
4.5.6.7	Hickory	10	S 77 N 10		
	do	6	S 52 E 18		
5.6.7.8	Sugar	12	N 42 N 30		
	Beech	18	S 41 E 64		
6.7.8.9	Hickory	8	N 13 E 28		
	Sugar	10	S 21 E 59		
1.2.3.4	M. Oak	10	S 33 E 28		
	Buckeye	6	N 48 E 10		
2.3.4.5	M. Oak	30	N 16 E 97		
	do	27	N 22 N 16		
3.4.5.6	Sugar	24	S 7 E 49		
	do	24	N 15 N 46		
4.5.6.7	Hickory	4	corner		
	do	14	S 65 E 26		
5.6.7.8	do	18	N 56 N 54		
	M. Oak	20	N 75 N 55		
6.7.8.9	M. Oak	20	N 83 E 35		
1.2.3.4	M. Oak	12	N 68 E 35		
	M. Oak	10	N 33 N 150		
2.3.4.5	M. Oak	20	N 84 E 20		
	M. Oak	12	S 14 N 24		
3.4.5.6	Sugar	14	N 57 E 48		
	M. Oak	9	N 82 N 86		
4.5.6.7	Beech	24	N 55 E 42		
	Hickory	4	S 35 N 15		
5.6.7.8	M. Oak	15	N 5 E 65		
	do	15	S 44 N 10		
6.7.8.9	Post in prairie	no	bearing trees		
1.2.3.4	A. Elm	8	N 55 E 18		
	Hickory	7	S 57 N 26		
2.3.4.5	Law the River				
	do	12	N 65 N 15		
3.4.5.6	M. Oak	30	S 82 E 33		
	M. Oak	30	N 14 N 21		
4.5.6.7	Buckeye	8	N 32 E 42		
	do	10	N 80 E 15		
5.6.7.8	do	6	N 62 N 23		
	M. Oak	14	N 79 E 41		
2.3.4.5	Hickory	12	N 52 E 18		
	Sugar	14	S 8 N 30		
3.4.5.6	M. Oak	20	N 49 N 17		
	do	14	S 81 E 13		
4.5.6.7	M. Oak	9	S 48 E 27		
	do	6	N 37 E 9		
5.6.7.8	Elm	8	S 13 E 10		
	do	11	N 26 N 18		
6.7.8.9	Sugar	15	S 40 E 49		
	do	18	N 51 N 21		
1.2.3.4	Sugar	12	S 15 N 22		
	Maple	24	N 17 N 67		
2.3.4.5	Sugar	10	S 82 N 24		
	do	8	N 67 E 34		
3.4.5.6	M. Oak	12	South 25		
	Spruce	12	N 7 E 50		
4.5.6.7	Salsadras	6	N 41 E 5		
	M. Oak	30	S 54 N 52		
5.6.7.8	Beech	36	N 32 E 23		
	M. Oak	6	S 22 N 80		
6.7.8.9	M. Oak	18	corner		
1.2.3.4	do				
	do	9	S 21 E 20		
2.3.4.5	M. Oak	7	N 24 N 32		
	Sugar	15	N 38 E 30		
3.4.5.6	M. Oak	15	S 58 N 13		
	M. Oak	14	N 5 E 14		
4.5.6.7	M. Oak	12	S 57 E 23		
	Sugar	9	S 54 N 13		
5.6.7.8	do	12	N 40 E 44		
	M. Oak	12	S 13 E 24		
6.7.8.9	M. Oak	24	N 41 E 14		
	M. Oak	10	S 29 N 33		
	Sugar	10	N 66 E 30		

Corners on the Webster Survey				
Posts	Bearing trees	Angles	Courses	Angles
1	Hickory	24	S 34 E 22	
2	do	18	N 46 E 24	
3	Buckeye	12	N 44 N 17	
4	Blue Oak	12	S 27 E 15	
5	Maple	4	S 29 E 22	
6	Hickory	3	N 13 E 20	
7	M. Oak	7	corner	
8	Sycamore	12	N 45 E 19	
9	Maple	20	S 7 N 35	
10	M. Oak	14	N 53 N 5	
11	M. Oak	10	S 39 E 19	
12	Law the River	20	N 56 E 4	
13	Buckeye	5	S 23 E 18	
14	M. Oak	18	S 5 N 57	
15	do	14	N 2 N 57	
16	M. Oak	12	N 5 E 6	
17	Sugar	4	S 41 N 12	
18	M. Oak	6	S 17 E 20	
19	do	3	N 37 N 3	
20	Hickory	14	North 37	
21	B. Elder	10	S 10 N 28	
22	M. Oak	12	S 64 N 19	
23	Sugar	18	S 56 E 4	
24	do	24	corner	
25	do	12	N 26 N 11	
26	Sycamore	15	S 13 E 19	
27	do	10	N 13 N 30	
28	Law the River	30	S 15 N 45	
29	Hickory	12	N 36 N 17	
30	do	10	S 40 N 37	

HQ

Township 14 North Range 9 West of Second Principal Meridian



Selection for the Wabash & Erie Canal from Q. R. 1818
by Act of Congress approved 27th Feb. 1818

22357.13

Pursuant to a contract with and Instructions from Jared Mansfield Esq. Surveyor General of the United States, I have re-measured said tract and surveyed the above described Township and do certify that it had such marks and bounds both natural and artificial as are represented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office
Certified the 2nd day of March 1816
William Harris Esq.


Received with Surveyor General's letter of .

Report No.

Posted in Division "O"


Triplicate plat filed with R. and R.

Miscellaneous See to G. E. Brown's letter Oct 11/16
609 & 21. 2nd. To all the people living and working
in the school room in the 10th St. 7th.




Pursuant to a Contract with and Instructions from James Mangels Esq. Surveyor General of the United States, I have measured
Laid out and surveyed the above described township and do certify that it had such marks and bounds both natural and artificial as are repre-
sented on said plat and described in the field notes made thereof and returned with this plat into the Surveyor General's Office
Certified this 28th day of March 1846
William Harris Esq.

Y 14 of Reg M. 2nd ed. ✓



The foregoing subdivisions of fractional sections are
 truly Copied from the Original plat in this office.
 Surveyor General's Office } M. T. Williams
 Cincinnati Aug. 20. 1834. } Sur. Genl.

Township N. 14 N. Range N. 9 W.



2PM

16 3

10/11

A105.86

A105.80
Sec. 2A
79.50

A160

A156.54

A160.84

A161

Sec. 11

A162.84

A165.90

A160

10/11

A160

A94.40

Sec. 15

A102.25

A100.00

A160

A
72.60

Sec. 22

A160

A98.00

AP

AP

A160

A109.70

Sec. 27

AP

R100

A160

A107.50


A80.00

INDIANA. N & W 2 P. M.

A	37.55	a	B
	38.23	45.00	
	A156.23	A151.16	
J	Sec. 6		
	156.08		
Y	39.27		
	A152.49		
X	Sec. 7		
	A143.95		
54	35.00		
X	A139.75		
W	Sec. 18		
	A138.14		

Description				
Posts	Rising trees	Inches	Course they lie	Links Dist
A	Elm	12	S 29 W	7
	do	12	St 43 E	45
X	B. Oak	20	St 41 W	19
	H. Oak	36	S 46 E	48
Y	B. Oak	30	St 43 E	45
	Lynn	8	S 4 W	25

T. 14 N. R. 9 W. 2nd Mer.



INDIANA.
N & W 2 P. M.

Island No. 6.

Beginning at corner to sect 10 & 15 T. 14 N. R. 9 W. the N.W. bank of the Wabash River —

Boxelder 15 S. 2 W. 49

Hackberry 21 N. 10 — 23

Thence East 7.50 over the River & set post on side No. 6 —

Sycamore 9 N. 34 W. 15

Maple 18 East 2 links

Meanders	
Courses	Ch. lks.
N. 6 W.	2.60
N. 13 W.	7.30
N. 22 W.	4.80
North	1.93
N. 25 E.	7.98
N. 36 E.	1.82
N. 62 E.	3.74
S. 10 E.	3.58
S. 2 E.	2.25
S. 15 E.	2.32
S. 2 E.	1.50
S. 2 W.	3.39
S. 11 W.	2.33
S. 5 W.	2.70
S. 18 W.	3.38
S. 27 W.	2.53
N. 4 W.	1.42
N. 1 E.	1.48

to place of beginning

Land level & 1st. rate. — Tim. Hackberry, Walnut, Birch and Maple. — Ung. Hackberry, Boxelder & Elm. Surveyed 2nd of 1832. by David Hillis, D.S.

Section N. 14 North Range No. 9 West of 2nd Mer.

COPY OF NOTATION ON BACK OF PLAT

The within plat of Island numbered Six, in the Wabash River, situate in Township No. 14 N. Range No. 9 West, 2nd Meridian, is strictly conformable to the field notes of the Survey thereof, which have been examined and approved.

Surveyor General's Office
Cin. 27 June, 1834.

/s/ M. T. Williams
Sur. Genl.

2 Pm

[illegible]

Pursuant to a contract with and instructions from Jared Mansfield Surveyor General of the U.S. I have administered said
out and surveyed the above described Township and do certify that it had said marks and bounds both natural and artificial
as are represented on said plat and described in the field notes made thereof and returned with this plat into the Survey General's
office at St. Paul, Minn. this 10th day of July 1874.